

PRODUCT INFO


DOMETIC OCEANAIR SKYVIEW

Skyview offers the functionality and tilt control of a venetian blind with the simplicity of a roller blind. The blind can be completely stowed out of sight onto a single roller. When deployed, it ensures privacy and heat protection. The open tilt allows for perfect views and light control.

LIGHT FILTERING
WITH OPEN TILT

ROOM DARKENING
WITH CLOSED TILT

POWERED OPERATION
AVAILABLE



**POWERED
OPTIONS**



**MAINTAIN
PRIVACY**



**CHILD
SAFE**

HYBRID VENETIAN AND ROLLER BLIND FOR WINDOWS

Capture stunning views with Dometic Skyview, a hybrid venetian and roller blind, with the best of each blended into one. Skyview can be controlled by either cord, chain, or powered operation. It is supported with optional guide wires or side tracks to prevent swinging and is available in a variety of fabric colours. Make the most of those great views with luxury powered control options, and operate your blinds at the touch of a button. The Skyview features tilting horizontal vanes of soft polyester suspended between two sheer fabric facings. This combination allows soft light diffusion and privacy without spoiling the view.

Benefits with Skyview

- Open tilt for perfect views
- Closed tilt for privacy and light control
- Powered operation available with 12VDC, 24VDC, or mains motors
- Hand-held remote, wall switch, or integration into the control system (remote only available from Dometic. However, switches and control systems are not supplied)
- Available with guide wire control or side tracks for more secure deployment
- Soft, subtle finish with a contemporary style

Specifications

MANUAL CONTROLS	Chain drive Cord drive
POWERED CONTROLS	Voltage 12VDC / 24VDC / 110VAC / 230VAC Radio remote Compatible with various automation systems
CORD TIDY	Chrome Nickel
FIXINGS	Top Fix Face Fix
RESTRAINTS	Free hanging Guide wire Side tracks



DIMENSION LIMITS

	BRACKET	MOUNTING PROFILE	CASSETTE OPTIONS	
	BR46	MP46	C2	C3
MANUAL				
Chain / Cord	Min X: 340mm Max X: 3000mm Max Y: 3000mm	Min X: 340mm Max X: 3000mm Max Y: 3000mm	Min X: 340mm Max X: 2500mm Max Y: 3000mm	Min X: 340mm Max X: 3000mm Max Y: 3000mm
POWERED				
Motor Atlantic 12 VDC	Min X: 470mm Max X: 3000mm Max Y: 3000mm	Min X: 470mm Max X: 3000mm Max Y: 3000mm	Min X: 470mm Max X: 2500mm Max Y: 3000mm	Min X: 484mm Max X: 3000mm Max Y: 3000mm
Motor Atlantic 24 VDC	Min X: 470mm Max X: 3000mm Max Y: 3000mm	Min X: 470mm Max X: 3000mm Max Y: 3000mm	Min X: 470mm Max X: 2500mm Max Y: 3000mm	Min X: 484mm Max X: 3000mm Max Y: 3000mm
Motor Pacific 230 VAC	Min X: 570mm Max X: 3000mm Max Y: 3000mm	Min X: 570mm Max X: 3000mm Max Y: 3000mm		Min X: 600mm Max X: 3000mm Max Y: 3000mm
Lutron Sivoia QS Roller 64 24 VDC	Min X: 565mm Max X: 3000mm Max Y: 3000mm	Min X: 565mm Max X: 3000mm Max Y: 3000mm		Min X: 565mm Max X: 3000mm Max Y: 3000mm
Somfy RO28WT 24 VDC	Min X: 373mm Max X: 3000mm Max Y: 3000mm	Min X: 373mm Max X: 3000mm Max Y: 3000mm	Min X: 373mm Max X: 2500mm Max Y: 3000mm	
Somfy Sonesse 30 DCT/RTS/RS485 24 VDC	Min X: 526mm Max X: 3000mm Max Y: 3000mm	Min X: 526mm Max X: 3000mm Max Y: 3000mm	Min X: 526mm Max X: 2500mm Max Y: 3000mm	Min X: 543mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 RTS 9/12 230 VAC Somfy Sonesse 40 RTS (409R2) 110-120 VAC	Min X: 623mm Max X: 3000mm Max Y: 3000mm	Min X: 623mm Max X: 3000mm Max Y: 3000mm		Min X: 645mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 RTS 3/30 230 VAC	Min X: 592mm Max X: 3000mm Max Y: 3000mm	Min X: 592mm Max X: 3000mm Max Y: 3000mm		Min X: 614mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 RTS 6/24 110 VAC Somfy Sonesse 40 RTS 6/20 230 VAC	Min X: 626mm Max X: 3000mm Max Y: 3000mm	Min X: 626mm Max X: 3000mm Max Y: 3000mm		Min X: 648mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 WT 9/12 230 VAC Somfy Sonesse 40 WT 6/20 230 VAC Somfy Sonesse 40 WT 6/24 110 VAC	Min X: 585mm Max X: 3000mm Max Y: 3000mm	Min X: 585mm Max X: 3000mm Max Y: 3000mm		Min X: 607mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 WT 3/30 230 VAC	Min X: 553mm Max X: 3000mm Max Y: 3000mm	Min X: 553mm Max X: 3000mm Max Y: 3000mm		Min X: 575mm Max X: 3000mm Max Y: 3000mm
Somfy Sonesse 40 WT 4/36 110 VAC	Min X: 540mm Max X: 3000mm Max Y: 3000mm	Min X: 540mm Max X: 3000mm Max Y: 3000mm		Min X: 562mm Max X: 3000mm Max Y: 3000mm